

Fig. 1





Fig. 2






Fig. 4




Fig. 5






Fig. 6



View Center: X = 9.438 Y = -3.000 Z = 1.500

Fig. 7

7/22




Fig. 8




Fig. 9

View Center: X=9.438 Y=-3.000 Z=1.500




STORE DEFULTS  
MODIFY MENU  
MACROC OPTIONS

ROTATION DELAY  
> NONE  
.1 SECOND

ROTATION MODE  
DYNAMIC  
DYNAMIC-CONTINUOUS  
> PULL/DRAG


ROTATE ABOUT  
> CENTER OF INTEREST  
HORIZONTAL  
VERTICAL  
MISSING

RETURN MAIN



View Center: X= 3.938 Y= -3.000 Z= 1.375

Fig. 10




(Side View)

View Center: X = 3.938 Y = -3.000 Z = 1.375

Fig. 11

MAIN

11/22



View Center: X= 3.940 Y= -2.985 Z= -0.500

Fig. 12

MAIN




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig.20






Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 31

